

HOW TO USE THIS HOLSTER/MAGAZINE WILL-FIT CHART:

Locate your gun and barrel length in the left column. Next, going across the top, locate the holster model you want. The holster size is located where the gun line and holster column intersect. Order by holster model followed by size. Specify right or left-hand.

Our holster offerings are constantly being updated... so if you require a holster size which is not shown here, please contact our Customer Service Department. Also contact Customer Service if there is any doubt as to which version of a weapon you are using, or any question regarding holster sizes. To contact Customer Service, call (910) 893-2071, fax to (910) 893-4742, or e-mail service@GouldUSA.com.

This will-fit chart is meant to be used with the Gould & Goodrich Leather, Inc. catalog. Sizes and fits subject to change without notice.

See page 8 for measuring barrel length information.

We invite you to visit our website often for product updates at: www.GouldUSA.com



Auto-Pistols and Revolvers by Manufacturer and Model

BERETTA AUTO PISTOLS

Auto-Pistols and Revolvers by Manufacturer and Model	Barrel Length (approximate)	Duty Holsters						Phoenix Advantage-Plus Duty Nylon Holsters					Gold Line Leather Concealment Holsters										Other	Duty Magazine Cases				Gold Line Magazine Cases						
		B501	B716	B720A	K338	K340	K341	K380	K381	B5306	X338	X340	X341	X380	X381	800	801/811	802	803	804	806	807/817	809	810	816	B733	627/628/629	637	533	617/647	821/841	830/850	831/851	860
8000D Cougar, 8000D Mini Couga	3.60 "																92F	80F									3		3	4	4	4	4	
8000F Cougar, 8000F Mini Couga	3.60 "																92F	80F									3		3	4	4	4	4	
8040D Cougar, 8040D Mini Couga	3.60 "																92F	80F									3		3	4	4	4	4	
8040F Cougar, 8040F Mini Couga	3.60 "																92F	80F									3		3	4	4	4	4	
8045D Cougar, 8045D Mini Couga	3.70 "																92F	80F									7	2	3	4	4	4	4	
8045F Cougar, 8045F Mini Couga	3.70 "																92F	80F									7	2	3	4	4	4	4	
83, 85, 87	3.80 "																696	84F												1	1	1	1	
84 .380	3.80 "																696	84F												3	3	3	3	
Px4 Storm	4.02 "			PX4	PX4				PX4								PX4		PX4			PX4					3		3	3	3	3	3	
92 Compact L Type M	4.30 "								92C							92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	2		2	3	3	3	3	
92 Compact L, 92 FC Compact,																										92F	3		1	3	3	3	3	3
92 SB-C	4.30 "								92C							92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92 D Centurion	4.30 "								92C							92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92 D Compact L	4.30 "								92C							92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92 D Compact L Type M	4.30 "								92C							92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	2	2	2	3	3	3	3	
92 FS Centurion, 92 G Centurion	4.30 "						92F	92F	92C				92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
96 Centurion	4.30 "						92F	92F	92C				92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
96 D Centurion	4.30 "						92F	92F	92C				92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92G Elite	4.60 "			92F				92F						92F		92F								92F	92F	92F	3		1	3	3	3	3	
96G Elite	4.60 "			92F				92F						92F		92F								92F	92F	92F	3		1	3	3	3	3	
92 FS Vertec, 96 Vertec	4.65 "				92V	92V	92V			92V	92V	92V														3		1	3	3	3	3	3	
92 D	4.90 "			92F	92D	92D	92D	92F	92F		92D	92D		92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92D Brigadier	4.90 "			92F												92F										3		1	3	3	3	3	3	
92 F, 92 FS, 92G	4.90 "			92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
92 FS Brigadier	4.90 "			92F												92F										3		1	3	3	3	3	3	
96 Brigadier, 96 G Brigadier	4.90 "			92F												92F										3		1	3	3	3	3	3	
96 D Brigadier	4.90 "			92F												92F										3		1	3	3	3	3	3	
96 D, 96 DS	4.90 "			92F	92D	92D	92D	92F	92F		92D	92D		92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
96, 96G	4.90 "			92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
96 FS	4.90 "			92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	92F	3		1	3	3	3	3	
96 FS Brigadier	4.90 "			92F												92F										3		1	3	3	3	3	3	

BROWNING AUTO PISTOLS

BDA .380	3.80 "																696	84F												3	3	3	3
High Power 9mm, .40	4.75 "														195	195			195	195	195	195	195	195	195	3		3	3	3	3	3	



**Auto-Pistols and Revolvers
by Manufacturer and Model**

Barrel Length (approximate)	Duty Holsters							Phoenix Advantage-Plus Duty Nylon Holsters					Gold Line Leather Concealment Holsters							Other	Duty Magazine Cases				Gold Line Magazine Cases													
	B501	B716	B720A	K338	K340	K341	K380	K381	B5306	X338	X340	X341	X380	X381	800	801/811	802	803	804	806	807/817	809	810	816	B733	627/628/629	637	533	617/647	821/841	830/850	831/851	860					
PARA-ORDNANCE AUTO PISTOLS																																						
P10 .45	3.00 "														194	195				193			195	193									4	4	4	4		
P12 .45, P14 .40	3.50 "														194	195				193			195	193			4		4	4	4	4	4	4	4			
P13 .45, P15 .40	4.25 "														194	195				195			195	194			4		4	4	4	4	4	4	4			
P14 .45, P16 .40	5.00 "														195	195		195		195	195		195	195			4		4	4	4	4	4	4	4			
RUGER AUTO PISTOLS																																						
KP93D, P93D	3.90 "																								P90	3		1	3									
KP93DAO	3.90 "																								P90	3		1	3									
KP95D, P95D	3.90 "																								P90	3		1	3									
KP95DAO, P95DAO	3.90 "																								P90	3		1	3									
P97, KP97	3.90 "																									2	2		2	3	3	3	3	3	3			
KP94, P94, KP94D, KP944, KP944DAO	4.25 "																								P90	3		1	3									
KP94DAO, KP944DAO	4.25 "																								P90	3		1	3									
KP97D	4.25 "																								P90	2			2									
KP97DAO	4.25 "																								P90	2			2	3	3	3	3	3	3			
KP89, KP89D, P85, P89, P89D	4.50 "								P90																P90	3		1	3	3	3	3	3	3	3			
KP89DAO	4.50 "																								P90	3		1	3	3	3	3	3	3	3			
KP90, KP90D, P90, P90D	4.50 "								P90																P90	2	2		2	3	3	3	3	3	3			
KP91D, P91D	4.50 "								P90																P90				3	3	3	3	3	3	3			
KP91DAO, P91DAO	4.50 "																								P90				3	3	3	3	3	3	3			
RUGER REVOLVERS																																						
SP101, SP101L	2.25 "																																					
Security Six, Speed-Six	2.75 "																	94																				
GP100, Speed-Six	3.00 "																	94																				
GP100	4.00 "																	94																				
Security-Six, Service-Six, Speed-S	4.00 "																	94																				
SIG SAUER AUTO PISTOLS																																						
P230, P232	3.60 "	232																																	1	1	1	1
P239	3.60 "																																					
P225	3.86 "																																					
P228	3.86 "																																					
P229	3.86 "																																					
P229 w/equipment rail	3.86 "		29R	29R	29R	29R	29R	29R																														
P229 DAK w/equipment rail	3.86 "		29K	29K	29K	29K	29K	29R																														
P245	3.90 "		226	226	226	226	226	226																														
P2009/P2340	3.90 "																																					
P220 w/equipment rail	4.41 "		22R	22R				22R	26R																													
P220	4.41 "		226	226	226	226																																
P226	4.41 "		226	226	226	226	226	226	226																													
P226 w/equipment rail	4.41 "		26R	26R	26R	26R	26R	26R	26R																													
P226 DAK w/equipment rail	4.41 "		26K	26K	26K	26K	26K	26R	26R																													



**Auto-Pistols and Revolvers
by Manufacturer and Model**

S&W AUTO PISTOLS

(short round trigger guard unless noted)

	Barrel Length (approximate)	Duty Holsters							Phoenix Advantage-Plus Duty Nylon Holsters					Gold Line Leather Concealment Holsters							Other E733	Duty Magazine Cases				Gold Line Magazine Cases												
		B501	B716	B720A	K338	K340	K341	K380	K381	B5306	X338	X340	X341	X380	X381	800	801/811	802	803	804		806	807/817	809	810	816	627/628/629	637	533	617/647	821/841	830/850	831/851	860				
Sigma .380, SW .380	3.00 "															696																			1	1	1	1
CS9 Chief's Special	3.00 "															696																			3	3	3	3
CS40 Chief's Special	3.25 "															G20		400	400				400											3	3	3	3	
CS45 Chief's Special	3.25 "															G20		400	400				400											3	3	3	3	
3913LS, 3931NL, 3914LS angled trigger guard	3.50 "															696		400	400	400		696	400	400				2			2	3	3	3	3			
3913, 3914	3.50 "															696		400	400	400		696	400	400				2			2	3	3	3	3			
3913TSW	3.50 "															696		400	400	400		696	400	400				2			2	3	3	3	3			
3193TSW with Rail	3.50 "															696												2			2	3	3	3	3			
3953, 3954	3.50 "															696	694	404	404	400			404	400									3	3	3	3		
3953TSW	3.50 "															696	694	404	404	400			404	400										3	3	3	3	
3953TSW with Rail	3.50 "															696																			3	3	3	3
4013	3.50 "															696		400	400	400		696	400	400				2	2	1	2	3	3	3	3			
4013TSW	3.50 "															696		696	400	400		696	400	400				3	2	1	3	3	3	3	3			
4013TSW with Rail	3.50 "															696													3	2	1	3	3	3	3	3		
4053	3.50 "															696	694	694	404	400			404	400				2	2	1	2	3	3	3	3			
4053TSW	3.50 "															696	694	694	404	400			404	400				3	2	1	3	3	3	3	3			
4053TSW with Rail	3.50 "															696													3	2	1	3	3	3	3	3		
469, 669 square trigger guard	3.50 "															696				400				400										3	3	3	3	
6904, 6906 round trigger guard	3.50 "															696		696	400	400		696	400	400				3		1	3	3	3	3	3			
6904, 6906 square trigger guard	3.50 "															696				400				400				3		1	3	3	3	3	3			
6924, 6926	3.50 "															696		696	400	400		696	400	400									3	3	3	3		
6944, 6946	3.50 "															696	694	694	404	400			404	400										3	3	3	3	
908	3.50 "															696		696	400	400		696	400	400										3	3	3	3	
4513TSW	3.75 "															696		696	400	400		696	400	400					2				3	3	3	3		
4513TSW with Rail	3.75 "															696														2				3	3	3	3	
4516, 4516-1, 4516-2	3.75 "															696		696	400	400		696	400	400				2	2		2	3	3	3	3			
4536, 4556	3.75 "															696	694	694	404	400			404	400										3	3	3	3	
4553TSW	3.75 "															696	694	694	404	400			404	400				2	2		2	3	3	3	3			
4553TSW with Rail	3.75 "															696													2	2		2	3	3	3	3		
457	3.75 "															G20																			3	3	3	3
39, 909, 3904, 3906 round trigger guard	4.00 "			596												696	400	400	400	400		400	400	400		4006	2	2		2	3	3	3	3				
3904, 3906 square trigger guard	4.00 "															696				400			400					2	2		2	3	3	3	3			
411, 4006	4.00 "			4006												696	400	400	400	400		400	400	400		4006	3		1	3	3	3	3	3				
4003TSW, 4006TSW	4.00 "			4006												696	400	400	400	400		400	400	400		4006	3		1	3	3	3	3	3				
4003TSW, 4006TSW with Rail	4.00 "				46R											696		46R	46R	46R							3		1	3	3	3	3	3				
4026	4.00 "															696	400	400	400	400		400	400	400		4006							3	3	3	3		
4043, 4046	4.00 "			4006	404											696	404	404	404	400		404	404	404		4046							3	3	3	3		
4043TSW, 4046TSW	4.00 "			4006	404											696	404	404	404	400		404	404	404		4046							3	3	3	3		
4043TSW, 4046TSW with Rail	4.00 "				46R											696		46R	46R	46R														3	3	3	3	
410	4.00 "															G20																			3	3	3	3



**Auto-Pistols and Revolvers
by Manufacturer and Model**

S&W AUTO PISTOLS (continued)

Auto-Pistols and Revolvers by Manufacturer and Model	Barrel Length (approximate)	Duty Holsters						Phoenix Advantage-Plus Duty Nylon Holsters					Gold Line Leather Concealment Holsters							Other	Duty Magazine Cases			Gold Line Magazine Cases														
		B501	B716	B720A	K338	K340	K341	K380	K381	B5306	X338	X340	X341	X380	X381	800	801/811	802	803	804	806	807/817	809	810	816	B733	627/628/629	637	533	617/647	821/841	830/850	831/851	860				
439, 639 square trigger guard	4.00 "															696				400			400															
459, 659 square trigger guard	4.00 "															696				400			400															
59, 915	4.00 "			596							596					696	400	400	400	400	400	400	400		4006													
910	4.00 "															G20																						
5903, 5904, 5906 round trigger guard	4.00 "			596							596					696	400	400	400	400	400	400	400		4006	3		1	3	3	3	3	3	3	3			
5903TSW, 5906TSW	4.00 "			596							596					696	400	400	400	400	400	400	400		4006	3		1	3	3	3	3	3	3	3			
5903TSW, 5906TSW with Rail	4.00 "															696										3		1	3	3	3	3	3	3	3	3		
5904, 5906 square trigger guard	4.00 "															696				400			400															
5923, 5924, 5926	4.00 "															696	400	400	400	400	400	400	400		4046	3		1	3	3	3	3	3	3	3			
5943, 5944, 5946	4.00 "															696	404	404	404	400	404	404	404		4046													
5943TSW, 5946TSW	4.00 "															696	404	404	404	400	404	404	404		4046													
5943TSW, 5946TSW with Rail	4.00 "															696																						
5944, 5946 square trigger guard	4.00 "															696																						
Sigma 9C, 9V, 40C, 40V SW9E, SW9VE, SW40E, SW40VE, SW357E, SW357VE	4.00 "															G20		40F																				
SW 99, 9mm/40 cal	4.00 "				S99					S99	S99					92F	S99									3		1	3	3	3	3	3	3	3	3		
SW 99, .45 ACP	4.00 "				S45						S45															3			3									
1066	4.25 "															696	400	400	400	400	400	400	400			2	2		2	3	3	3	3	3	3			
1076	4.25 "															696		400	400	400	400	400	400															
1086	4.25 "															696	404	404	404	400	404	404	400				2	2		2	3	3	3	3	3	3		
4563TSW, 4566TSW	4.25 "										45T					696		400	400	400	400	400	400															
4563TSW, 4566TSW with Rail	4.25 "							46R	46R							696																						
4566	4.25 "															696		400	400	400	400	400	400			2	2		2	3	3	3	3	3	3	3		
4576	4.25 "															696		400	400	400	400	400	400															
4583TSW, 4586TSW	4.25 "															696	404	404	404		400	404	400															
4583TSW, 4586TSW with Rail	4.25 "															696																						
4586	4.25 "															696	404	404	404	400	404	404	400		G20	2	2		2	4	4	4	4	4	4	4		
MP	4.25 "			MP												G17	G20	G17	G17	G17	G20																	
Sigma 9F, 40F	4.50 "															G20		40F																				
1006	5.00 "															696			400	400		400					2	2		2	3	3	3	3	3	3		
1006 square or long round trigger guard	5.00 "															696											2	2		2	3	3	3	3	3	3	3	
1026	5.00 "															696			400	400		400																
1026 square or long round trigger guard	5.00 "															696																						
1046	5.00 "															696			404	400		404																
4506, 4506-1	5.00 "															696			400	400		400					2			2	3	3	3	3	3	3		
4506 square or long round trigger guard	5.00 "															696											2			2	3	3	3	3	3	3	3	
4526	5.00 "															G20			400	400		400																
4546 DAO	5.00 "															696			404	400		404																
645, 745 square trigger guard	5.00 "															696																						

